Projector Specification			
	Projector, 1.8m power cable, 1.8m computer cable, remote control, 2 x AA batteries, soft carrying case		
Projection System	3LCD, 3-chip technology		
LCD Panel	0.55-inch (D10)		
	Optical	**Image**	
Zoom	1 - 1.2 (Optical Zoom)	Color Light Output	3,600 Lumens
Screen Size	30" to 300" [0.9 to 9.0 m] (Zoom: Wide) 30" to 300" [1.08 to 10.8 m] (Zoom: Tele)	Keystone Correction	Vertical: -30 to +30 degrees Horizontal: -30 to +30 degrees
Projection Distance	60" screen 1.8 - 2.17 m	White Light Output	3,600 Lumens
Throw Ratio	1.48 (Zoom: Wide), 1.77 (Zoom: Tele)	Resolution	XGA
Projection Lens F Number	1.58-1.72	Native Aspect Ratio	4:3
Projection Lens Focal Length	16.9 mm-20.28 mm	Contrast Ratio	15,000:1
Focus Method	Manual Focus	Maintenance Cycle	Normal/Eco: 6,000/10,000 Hours
Offset	8:1	Lamp Type	215 W UHE
CONNECTIVITY		**ADVANCED FEATURES**	
Input: Video	1 x RCA (Yellow)	Projector Management	Yes
Input: Computer	1 x D-sub 15-Pin (RGB), 1 x USB 2.0 type B	I Projection	Yes
Input: USB Memory Device	1 x USB Type A	PC Free Presentations	Yes
Input: Three-In-One USB Display	1 x USB 2.0 Type B	USB Plug 'n Play	Yes
Input: Digital	1 x HDMI	AV Mute Slide	Yes
Input: Audio	2 x RCA (1 x White, 1 x Red)	Instant Off	Yes
Input: Control	1 x USB 2.0 type B	Auto Power On	Yes
Input: Epson USB Document Camera	1 x USB 2.0 type A	Direct Power On/Off	Yes
Wireless LAN	Optional		
Speaker Output	2W		
ADVANCED AND GENERAL FEATURES			
Security	Kensington®-style lock provision, Password protect function, Padlock & Security Cable Hole, Optional wireless LAN unit lock		
Color Modes	Dynamic, Presentation, Cinema, sRGB, Blackboard		
Dimensions D x W x H (Including Feet)	302 x 77 x 234 mm		
Weight	2.5 kg (approximate)		
Compatible lamp model	ELPLP96		
Lamp Warranty	12 Months or 750 hours		
Projector Warranty	2 Years (Minimum)		
Power Consumption: Lamp on	Normal/Eco: 291W/214W		
Noise Level	Normal/Eco: 37/28dB		

Idea Pad S145-8th Gen Intel Core i7-8565U Processor above 1.8Ghz 8GB Ram HDD/SSD 14" Full HD with Genuine windows 10

Weight	1.6 kg
Display	13/14 Inch Full HD
RAM	8GB DDR4
Processor	8th Gen Intel Core i7-8565U 1.8Ghz
Storage Capacity	512 SSD and above
Battery Type	Non-removable Li-Ion 4000 mAh battery
Operating System	Windows 10 pro
Connectivity	Wi-Fi 802.11 a/c, Bluetooth 4.0
Webcam	0.3MP with Analog Microphone
Ports	2x USB-A 3.1 Gen 1, 1x USB-A 2.0, HDMI, SD card reader, Headphone / mic combo + RJ 45 cable external
Model	Light Wight Notebook
What's in the Box	Idea pad, Charger, user guide
Warranty	Minimum One Year
Item Dimensions	327.1mm x 241mm x 19.9mm
Color	Black
Resolution	1920 x 1080 pixels
Audio	2 x 1.5W Dolby Audio speaker system
Keyboard	full-size chiclet English keyboard.
Brand	Any well-Known Brand
Quality	Brand New
Form Factor	Laptop

Office Copy/Printer Specifications / Technical Datasheet with network

BASIC SPECIFICATIONS for Photo Copy Machine	
Type	Desktop or Free-standing, (Reader-Printer Combined)
Maximum Original Size	A3
Copy Sizes	Cassette 1,3 and 4: A3, A4, A4R, A5R Custom size: 139.7 to 297mm x 182 to 432mm Cassette 2: A3, A4, A4R, A5R, Stack Bypass: A3, A4, A4R, A5R, Custom size: 99 to 297mm x 148 to 432 mm
Resolution	Reading: 600dpi × 600dpi Copying: 600dpi × 600dpi Printing: 600dpi × 600dpi, 1200dpi x 1200dpi (UFRII-LT only) Number of Tones: 256 Gradations
Copy/Print Speed	A4 and A3 BW : 15ppm (BW)
Enlargement/ Reduction	Zoom: 25-400% Fixed: 25%, 50%, 70%, 100%, 141%, 200%, 400%
First copy time	Black-and-White: 3.9sec (45/35 ppm model), 5.4sec (30/25 ppm model), 6.4sec (20 ppm model)
Warm-Up Time	30 seconds
Multiple Copies/Prints	1 to 999 sheets
Duplexing	Standard
Paper weight	Cassette: 64 to 90g/m2 Stack Bypass: 64 to 128g/m2 Duplex: 64 to 80g/m2
Paper Capacity	Cassette 1: 550 sheets (80g/m2), (250 sheets) Cassette 2: 550 sheets Stack Bypass: 100 sheets (A4,A4R,A5;80g/m2), 50 sheets(A3;80g/m2) Optional: 550 sheets x 2 cassettes (80g/m2) 550 sheets x 1 cassette Paper Deck: None Total capacity: 2,300 sheets,(2,000 sheets)
Processor speed	Custom Processor, 400MHz
Memory	256MB
Interface	Ethernet (100Base-TX/10Base-T), USB Host I/F 2.0 x 1 port, USB Device 1.0 x 1 port 220-240V AC, 50/60Hz, 4.2A (45/35 ppm model), 220-240V AC, 50/60Hz, 3.3A (35/30/20 ppm model)
Power Supply	220-240V AC, 50/60Hz, 4.2A (45/35 ppm model), 220-240V AC, 50/60Hz, 3.3A (35/30/20 ppm model)
Power Consumption	1.827kW (45/35ppm model), 1.345kW (30/25ppm), 1.542kW (20ppm model).
Recommended Dimension (W x D x H)	565 mm x 680 mm x 806 mm (with the platen cover) 565 mm x 689 mm x 907mm (with the DADF) 565 mm x 680 mm x 806 mm with the platen cover)